# RNA-Seq Workshop Using Tuxedo and Trinity for Transcript Reconstruction and Analysis

Software and Data Installation Using VirtualBox


## Download and Install VirtualBox

http://virtualbox.org



# Download the RNA-Seq Workshop Virtual Machine (VM) Image and Related Materials

http://trinityrnaseq.sourceforge.net/rnaseq\_workshop.html




Note: This is the installation guide mentioned above.

# Run VirtualBox and Import Appliance




### Next, click the 'Open appliance...' button




Select the Ubuntu\_RNASeqWorkshop.ova file you downloaded earlier.


(note, the .ova file may be named differently depending on workshop VM release)



### Click 'Continue'




### Click 'Import'



This import step can take a few minutes.




Select the Ubuntu\_RNASeqWorkshop entry on the left, and click the Start button at top.



Ubuntu Linux should load. Click the 'terminal' icon on the left to open a terminal window.




Terminal window should appear.



Enter the rnaseq workshop data/ directory, and update the contents:

(note, may be rnaseq\_workshop\_{year}/ in newer versions )



### Data and demo scripts provided:



Lots of files, but the most important data files used here are:

- Paired-end RNA-Seq reads for two conditions (A, B):
  - · condA.left.fa and condA.right.fa
  - condB.left.fa and condB.right.fa
- Genome sequence:
  - · genome.fa

# Notes on the VM configuration

- All required software tools come pre-installed
  - Transcript reconstruction:
    - Trinity and Tuxedo (bowtie, tophat, cufflinks, cuffdiff, cummeRbund)
  - Visualization
    - IGV
  - Utilities leveraged during RNA-Seq processing and analysis:
    - samtools, GMAP, R/Bioconductor, etc.

# Notes on the VM Environment

- All required software tools are available via the PATH setting. (so just type 'tophat' or 'cufflinks' at the command prompt).
- Additional environmental variables are set to facilitate access to Trinity and IGV
  - \$TRINITY\_HOME = /path/to/Trinity/installation/directory
  - \$IGV = /path/to/IGV/installation/directory

These environmental variables are used throughout the hands-on tutorials.

# **Automating Tutorial Execution**

\*See documents for hands-on activities for Trinity and Tuxedo

**Automating Trinity Activities:** 

% runTrinityDemo.pl

Automating Tuxedo Activities:

% runTuxedoDemo.pl